



LD WHEEL

PREMIUM GATE HARDWARE

— — ITALIAN QUALITY

SLIDING GATE COMPONENTS

GLOBAL SOLUTIONS
FOR A STRONGER TOMORROW



DURABLE
PERFORMANCE



PRECISION
ENGINEERING



TRUSTED
WORLDWIDE



LD GLOBAL SUPPLY, LLC


SPECIAL ACCESSORIES FOR METAL GATES AND DOORS



NORMAL WHEEL WITH 1 BEARING - V GROOVE




ARTICLE	REFERENCE DIMENSION						CAPACITY		
	Ø mm	B mm	d1 mm	F mm	Ø1 mm	UNI	PCS	LBS	KG
2.034 V	60	18	20	24	96	M10X45	38	130	60
2.534 V	80	20	24	20	96	M10X45	48	176	80
3.034 V	80	20	24	20	96	M12X50	55	308	140
3.534 V	90	20	24	20	96	M12X50	75	352	160
4.034 V	100	20	34	20	96	M14X60	85	396	180
5.034 V	120	20	34	20	96	M14X60	105	440	200
5.534 V	140	20	34	20	96	M14X60	125	506	230
6.034 V	160	20	34	20	96	M14X60	145	550	250



NORMAL WHEEL WITH 2 BEARINGS - V GROOVE




ARTICLE	REFERENCE DIMENSION						CAPACITY		
	Ø mm	B mm	C mm	V mm	UNI	d1 mm	PCS	LBS	KG
3.530 DV	90	30	44	96	M14x70	68	6	550	250
4.040 DV	100	30	44	96	M14x70	78	6	660	300
5.010 DV	120	30	44	96	M14x70	97	4	770	350
5.010 IV	120	30	44	96	M16x70	100	8	836	380




**WHEEL WITH CLOSED SUPPORT - V GROOVE**

ARTICLE	REFERENCE DIMENSION							CAPACITY	
	Ø mm	B mm	d1 mm	F mm	Ø1 mm	UNI	PCS	LBS	KG
2.034 PCV	60	18	20	24	96	M10X45	39	30	180
2.534 PCV	80	18	20	24	96	M10X45	49	30	170
3.034 PCV	90	20	28	24	96	M10X45	60	30	210
4.034 PCV	100	20	28	24	96	M12X50	85	30	250

**WHEEL WITH SUPPORT - V GROOVE**

ARTICLE	REFERENCE DIMENSION							CAPACITY	
	Ø mm	B mm	C mm	V mm	Ø1 mm	UNI	PCS	LBS	KG
3.034 PSV	80	20	32	96	96	-	12	330	150
3.534 PSV	100	20	36	96	96	-	12	374	170
4.034 PSV	120	20	38	96	96	-	6	462	210
5.034 PSV	160	20	38	96	96	-	6	550	250





SLIDING GATE COMPONENTS

 ITALIAN QUALITY


HINGE FOR GATE



ARTICLE	d mm	B mm	B1 mm	B2 mm	C mm	F mm	UNI	PCS
MZ 2-1	40	34.6	24	24	9	9	M5X10	30





PLATE WITH ROLLERS




ARTICLE	mm	S mm	A mm	B mm	ROLLER mm	D mm	HR mm	PCS
1L-1	130X140	3.5	55	30	40	40	4	-
1L-2	195X245	4	6	100	67	40	4	-



FLOOR TRAVEL STOP

ARTICLE	L1	L2	H	S1	S2	D	PCS
MD2-1	100	75	112	5	10	34	20




ADJUSTABLE HINGE WITH PLATE

ARTICLE	L1	L2	L3	L4	L5	S	F	UNI	PCS
LG2-1	33.5	33	25	56	21	5	7	M16X43	20
LG2-2	41	41.5	32	72	25	6	8	M18X60	20
LG2-3	41	41.5	32	78	25	6	8	M20X60	20




GALVANIZED STEEL GEAR RACK



SPECIFICATIONS / SKU

GRGA020 22 x 22 x 2000 mm | Galvanized steel | 2 m

NYLON GEAR RACK



SPECIFICATIONS / SKU

GRNY010 20 x 27 x 1020 mm | Nylon

WHITE GUIDE / ROLLER WHEELS



REFERENCES / SKU

- | | |
|-----------------|------------------------|
| VE50-3W | White roller wheel 3" |
| VE50-6W | White roller wheel 6" |
| VE50-12W | White roller wheel 12" |

BLACK GUIDE / ROLLER WHEELS



- | | |
|----------------|-----------------------|
| VE50-3B | Black roller wheel 3" |
| VE50-6B | Black roller wheel 6" |
| VE50-9B | Black roller wheel 9" |